# **Product Info**

Search Details: MCG8000AWW, Maytag® Neptune® Gas Drying Center



New Search

**Compare Appliances** 

Product Publications

Feature Info

More Pictures

Accessory Info

Warranty Info

Energy Consumption

Installation Info

Product Functionality

**Dimension Info** 

Color Info

Packaging Info

Agency Approvals

Master SKU Info

### Product Functionality

### Dryer:

Location: Upper Drying Cabinet **Dryer Features: Dryer Controls:** Micro Processor: Controls: Type Of Controls: LED-TouchPad Consumer yes Programmable Control: Location: Between Dryers - Right Hand Side Pause: Start/Pause Button Description: Other Features: Off Button Dryer Signals: Time Remaining Indicator: Signals -Visual: counts down in one minute increments End Of Cycle Signal: Signals -Audio: chime Signals adjustable Programmable: Cycle Status Indicator: Signals -Visual: light Number: 4 Cycle Status Drying, Steam, Scent Treat, Complete Names: Dryer Convenience Features: Drum Light: Location: Top, Center in the WrinkleRelease rod housing Type Of Automatic Activation: Number Of Light 1 Bulbs: ShapeSaver<sup>™</sup> Hangers - holds up to 9 Hangers: Number Included: 3 Type Of Hanger: Plastic Hooks: Accessory Hooks Number Included: 4 Location: Inside Doors Removable: No Drying Shelves: Flat Dry Shelves

Number Included: 5 Yes Removable: Fold Away: no Slide Out: YES Liquid **Steam Water Bottle** Container: Location: Lower Dryer, Right side Removable: Yes Type Of Liquid: **Distilled Water** Dryer Sheet Caddy™ Dryer Sheet Holder: Location: Lower Dryer, Right Side Removable: Yes Sheet Capacity: 1 Adjustable Drying Time: Adjustment 30minutes-6hours Increment: WrinkleRelease Rod Hanger Bar: Location: Top of Drying Cabinet Dryer Sub System Names: BreezeCare<sup>™</sup> Drying System Dry System Name: Dryer Cycles: Temperature Settings: 2 Number Of Settings: Low Temp Setting: Approximate 140 Degrees: Extra Low **Temp Setting:** Approximate 110 Degrees: Dry Cycles: Cool Down: Dry Wet Clothes: Approximate Cycle4hours Time: Hanger Bar Automatic Activation: **Refresh Dry** Clothes: Approximate Cycle2hours Time: Dry Options: Add Fragrance: Remove Odor: Wrinkle Release:

Dryer Mechanical: Serviceability: Front Number Of Drying 5 Shelf Positions: Motor: 65 Watt, single-phase, thermoprotected against overload, automatic reset Voltage: 120 Blower Capacity: 80 CFM: Air Flow: Description: multi-directional Number Of 25 Outlets: Number Of Inlets: 1 Location Of back Outlets: Location Of Inlets: Bottom right Sound EQ<sup>™</sup> Plus<sup>™</sup> Sound Silencing System Silencing: Hanger Bar WrinkleRelease Rod Housing Mechanical: Location: Top, Center Motion 2.5 lb. weight rotates inside the housing in a circular motion, making Description: the WrinkleRlease Rod oscillate from left to right Motions Per 30 Minute: Internal Dimensions: Internal Capacity - 17.3 Cubic Feet: Max Garmet 58inches Hanging Length: Number Of Max 2 Length Hanging Garmets: **Dryer Style And** Materials: Hanger MFS: Drying Shelves MFS: Fiberglass mesh Materials: PVC coating and ABS Finish: Drver Sheet Holder MFS: Hanger Bar Attachment MFS: Materials: EPDM Other Components MFS: **Component Name:Liner** talc-filled polypropylene Materials:

Style: one-piece seamless design

Dryer: Location: Lower Tumble Dryer **Dryer Features:** Dryer Controls: Micro Processor: Controls: Type Of Controls: LED-TouchPad Consumer yes Programmable Control: Location: Between Dryers - Left Hand Side IntelliDry® Thermostat Controlled Dryness: Timed Dry: Pause: Start/Pause Button Description: Other Features: Off Button **Dryer Signals:** Damp Dry Signal: Signals -Audio: chime Time Remaining Indicator: End Of Cycle Signal: Signals -Audio: chime Signals adjustable Programmable: Cycle Status Indicator: Signals -Visual: light Number: 6 Wet, Damp, Dry, Cool Down, Wrinkle Prevent, Complete Cycle Status Names: Dryer Convenience Features: Drum Light: Location: Back, Center Type Of Automatic Activation: Number Of Light 1 Bulbs: Extra -Large Door Opening: Lint Filter: Easy Access Upfront below door opening Location: Removable: Yes

Dryer Sub

System Names: GentleBreeze<sup>™</sup> Drying System Dry System Name: Dryer Cycles: Number Of Max 4 Usable Cycles: Temperature Settings: Number Of 4 Settings: Normal Temp Regular Setting: Approximate 150 Degrees: Low Temp Setting: Approximate 140 Degrees: Room Temp Air Fluff Setting: Approximate RoomTemperature Degrees: Other Temp Medium Setting: Approximate 145 Degrees: Other Temp Extra-Low Setting: Approximate 125 Degrees: Dry Cycles: Air Fluff Cycle: Approximate CycleAllowsConsumerToSelectASpecificTime Time: Freshen Up Wrinkle Release Cycle: Approximate CycleTenMinutesHeatedTumbleFollowedByEightMinutesUnheatedTumble Time: Timed Dry Cycle: Other Cycles: Sensor Dry Cycle delicate, wrinkle-free and cotton/sturdy items like towels, bedding Applicable Fabrics: and jeans Dry Options: Adjustable Degree Of Dryness: Wrinkle **Prevent Option:** Drver Mechanical: Motor: 1/4 HP Motor, 245 Watt, single-phase, thermoprotected against overload, automatic reset

Horse Power: .25 120 Voltage: RPMs: 1725 Blower High-capacity Capacity: CFM: 170 Air Flow: Description: **Diagonal Air Flow** Number Of 1 Outlets: Number Of Inlets: 1 Location Of back Outlets: Location Of Inlets: back Suspension: 4-Point Sound EQ<sup>™</sup> Plus<sup>™</sup> Sound Silencing System Silencing: Door: Extra-large Reversible: Yes Location: front Hinge Location: side Door Air Seal: Heat Resistant Wool/Polyester Air Seals Electric Ignition -Gas: Safety Shut Off: Yes Two thermostats Other Mechanical: Internal Dimensions: Internal Capacity - 7.0 Cubic Feet: **Oversize Capacity Plus** Capacity Description: **Dryer Style And** Materials: Drum: Finish: polyester powdercoat Color: white DuraCushion™ Style: Lint Filter MFS: Materials: polyester mesh Finish: Color: white

## Product

#### Exterior:

Product Exterior Mechanical: Serviceability: Front Product Exterior Style And Materials: Style Of Product: DryingCabinetWithDryer

Style Of Installation:	FreeStanding
Base Frame:	
Materials:	steel
Style:	Heavy-duty